









OH-ARW





OH-ARW



OH-ARW



Arrow

OH-ARW

H-XLA



OH-ARW

Piper

ARW





OH-ARW

OH-100



OH-ARW

Piper

OH-753

OH-AC



LENTO-MYYNTI OY

PALO-HALYTYS

Arrow

OH-VFR

OH-NTJ



AVIONICS

AVIONICS

Hughes Centegra

Hughes

GEAR

UP

107 KIAS

120

MAXI

CLOSE

ALT

AIR

Master II

1112-0

CAUTION

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0

1112-0



DAY NIGHT

PICTS TO TEST

AIRC CONTINUED OPERATIONS WITH 1500 RPM 1500 RPM 1500 RPM

AVIATION

AVIATION



Three smaller displays in the center of the panel. The top display shows engine parameters. The middle display shows a message: "Stormscope device has failed" and "Stormscope heading has failed". The bottom display shows a table of engine performance data:

PARAMETER	VALUE	UNIT
135.075	147	57.7
111.88	181	32.0
111.88	254	16.4



BATT MAINT ALTR PWR LIGHT NAV LIGHT

GEAR UP 107 KIAS

129 MAX

CAUTION



Handwritten notes on a piece of paper in the lower right corner, including the word "MAY" and some illegible text.

